



Model Name	VT-156XTx3
Description	
Product Type	True Flat Series Plastic LCD monitor
Chassis Type	Plastic chassis ( ABS ) with 100 x 100 mm VESA mount
Enhanced Chassis	N/A
Glass / Touch Panel	Optional: Projective capacitive touch (USB interface) / Glass
LCD Panel Spec	15.6" LED backlight
Panel Resolution	1366 x 768 pixels
Active Screen Area	344.232 x 193.536 mm
Color Depth	16.7M colors
Brightness / Contrast	300 nits / 500 :1
Viewing Angle ( Typ.)	160°(H) / 160°(V)
Support Resolution	640 x 480 800 x 600


	1024 x 768 1366 x 768
<b>I/O Port</b>	D-Sub ( VGA ) DP 1.2 HDMI 1.4a Audio in (3.5mm Phone Jack) USB 2.0 Type B (Touch) (Optional) DC Jack ( $\phi = 2.0\text{mm}$ )
<b>Audio</b>	Optional : 2.5W ( 8 $\Omega$ ) speaker x 2
<b>Power</b>	External power adapter, AC IN: 100 ~ 240V ; DC OUT: 12V / 5A
<b>Power Consumption</b>	Max. 20.1 W
<b>Accessory</b> (Optional)	VGA cable HDMI cable DP cable Audio cable USB cable Adapter Power cable, CD
<b>Dimension</b>	Main body :392.96(W) 326.73(H) 159.96(D) mm
	Packing : 508(W) 394(H) 196(D) mm
<b>Net Weight</b> (Reference)	4.1 kg
<b>Gross Weight</b> (Reference)	6.0 kg
<b>Temperature Range</b>	Operating : 5 ~ 40°C / Storage : -10 ~ 60°C

**Humidity Range**

Operating : 20 ~ 80% / Storage : 10 ~ 90%

**EMC / Safety**

IEC62368 / CE / FCC, RoHS / REACH



UNLESS OTHERWISE SPECIFIED	
LENGTH	TOLERANCE
0-6	±0.10
7-30	±0.20
31-100	±0.30
101-300	±0.50
301-UP	±0.70
ANGLE	±1.0°

TITLE	VT-156XTP3	DATE	2018.1.3	MATERIAL THICKNESS		UNIT	mm	CHECK	Kevin	SHEET	1/1	宜春企業股份有限公司 VITA ELECTRONICS CO., LTD.
P/N	016-E0030-25201	REV.	A	FINISH		SCALE	1:1	DRAW	Eisa	SIZE	A0	