






Description \ Model Name	VT-190XTx1	VT-190XTx2	VT-190DTx1	VT-190DTx2
Product Type	True Flat Series Plastic LCD monitor			
Chassis Type	Plastic chassis (ABS) with 75 x 75 mm VESA mount			
Enhanced Chassis	N/A			
Glass / Touch Panel	Optional: Projective capacitive touch (USB interface) / Glass			
LCD Panel Spec	19" LED backlight			
Panel Resolution	1280 x 1024 pixels			
Active Screen Area	376.32 x 301.06 mm			
Color Depth	16.7M colors (RGB 6-bit + Hi-FRC)			
Brightness / Contrast	350 nits / 1000 :1			
Viewing Angle (Typ.)	170°(H) / 160°(V)			
Support Resolution	640 x 480 800 x 600			

	1024 x 768			
	1280 x 1024			
I/O Port	D-Sub (VGA) DP 1.2 HDMI 1.4a Audio in (3.5mm Phone Jack) USB 2.0 Type B (Touch)(Optional) DC Jack ($\phi = 2.0\text{mm}$)	D-Sub (VGA) DP 1.2 HDMI 1.4a Audio in (3.5mm Phone Jack) USB 2.0 Type B (Touch)(Optional) AC Socket	D-Sub (VGA) DVI Audio in (3.5mm Phone Jack) USB 2.0 Type B (Touch)(Optional) DC Jack ($\phi = 2.0\text{mm}$)	D-Sub (VGA) DVI Audio in (3.5mm Phone Jack) USB 2.0 Type B (Touch)(Optional) AC Socket
Audio	Optional : 2.5W (8 Ω) speaker x 2			
Power	External power adapter, AC IN: 100 ~ 240V ;50/60Hz DC OUT: 12V / 5A	Internal power adapter, AC IN: 100 ~ 240V ;50/60Hz	External power adapter, AC IN: 100 ~ 240V ;50/60Hz DC OUT: 12V / 5A	Internal power adapter, AC IN: 100 ~ 240V ;50/60Hz
Power Consumption	Max. 21.8 W			
Accessory (Optional)	VGA cable DP cable HDMI cable Audio cable USB cable Adapter Power cable, CD	VGA cable DP cable HDMI cable Audio cable USB cable Power cable, CD	VGA cable DVI cable Audio cable USB cable Adapter Power cable, CD	VGA cable DVI cable Audio cable USB cable Power cable, CD
Dimension	Main body : 426.8(W) 393.9(H) 179.97(D) mm			

	Packing : 480(W) 500(H) 230(D) mm
Net Weight (Reference)	6.1 kg
Gross Weight (Reference)	8.0 kg
Temperature Range	Operating : 5 ~ 40°C / Storage : -10 ~ 60°C
Humidity Range	Operating : 20 ~ 80% / Storage : 10 ~ 90%
EMC / Safety	IEC62368 / CE / FCC, RoHS / REACH



比例 0.700

UNLESS OTHERWISE SPECIFIED	
LENGTH	TOLERANCE
0-6	±0.10
7-30	±0.20
31-100	±0.30
101-300	±0.50
301-UP	±0.70
ANGLE	±1.0

TITLE	19"全平面塑殼
P/N	

DATE	2017 04/06	MATERIAL THICKNESS	
REV.	A	FINISH	

UNIT	mm	CHECK	KEVIN	SHEET	1/1
SCALE	1:1	DRAW	KENNY	SIZE	A0 MAX

宜春企業股份有限公司
VITA ELECTRONICS
CO.,LTD