


<b>Model Name</b>	<b>VT-270AHx7</b>
<b>Description</b>	
<b>Product Type</b>	Hybrid Series Front Plastic Rear Metal Medical LCD monitor
<b>Chassis Type</b>	Plastic( ABS ) and Metal (SECC) chassis with 100 x 100 / 100 x 200 mm VESA mount
<b>Optional Function</b>	<ul style="list-style-type: none"> <li>Gamma 2.2 / DICOM (Optional)</li> <li>Reading light (Optional)</li> <li>Camera &amp; microphone (Optional)</li> <li>RFID reader (Optional)</li> <li>USB hub (Optional)</li> <li>Cable cover (Optional)</li> <li>Stand base (Optional)</li> </ul>
<b>Glass / Touch Panel</b>	Optional: Projective capacitive touch (USB interface) / Glass
<b>LCD Panel Spec</b>	27" LED backlight
<b>Panel Resolution</b>	3840 x 2160 pixels

<b>Active Screen Area</b>	596.16 x 335.34 mm	
<b>Color Depth</b>	1.07B colors (RGB 8-bit + Hi FRC)	
<b>Brightness / Contrast</b>	800 nits / 1000 :1	500 nits / 1000 :1
<b>Viewing Angle (Typ.)</b>	178°(H) / 178°(V)	
<b>Support Resolution</b>	640 x 480 800 x 600 1024 x 768 1280 x 1024 1360 x 768 1680 x 1050 1920 x 1080 2560 x 1440 3840 x 2160	
<b>I/O Port</b>	VGA DP 1.2 HDMI 2.0 DVI-Dual EX-SDI in EX-SDI out Audio in (3.5mm Phone Jack) (Optional) USB 3.0 Type B (up stream)(Optional) USB 3.0 Type A (down stream)(Optional) DC Jack ( 4 Pin mini din )	

<b>Audio</b>	Optional : 10W ( 8Ω) speaker x 2	
<b>Power</b>	External power adapter, AC IN: 100 ~ 240V ;50/60Hz DC OUT: 24V / 6.6A	
<b>Power Consumption</b>	Max. 142.7 W	Max. 114.41 W
<b>Accessory (Optional)</b>	VGA cable DP cable HDMI cable DVI-Dual cable BNC cable Audio cable (Optional) USB Type A cable (Optional) USB Type B cable (Optional) Adapter Power cable, CD	
<b>Dimension</b>	Main body : 657.05(W) 501.68(H) 248.87(D) mm	
	Packing : 773(W) 596(H) 297(D) mm	
<b>Net Weight (Reference)</b>	11.77 kg	11.07 kg
<b>Gross Weight (Reference)</b>	16.54 kg	15.84 kg
<b>Temperature Range</b>	Operating : 5 ~ 40°C / Storage : -10 ~ 60°C	
<b>Humidity Range</b>	Operating : 20 ~ 80% / Storage : 10 ~ 90%	
<b>EMC / Safety</b>	IEC60601 / CE / FCC, RoHS / REACH	



UNLESS OTHERWISE SPECIFIED	
LENGTH	TOLERANCE
0-6	±0.10
7-30	±0.20
31-100	±0.30
101-300	±0.50
301-UP	±0.70
ANGLE	±1.0°

TITLE	27吋鐵後殼+底座	DATE	2024/11/27	MATERIAL THICKNESS	--		UNIT	mm	CHECK	Kevin	SHEET	1/1	宜睿企業股份有限公司 VITA ELECTRONICS CO., LTD.
P/N	VT-270H1	REV.	A	FINISH	--		SCALE	1:1	DRAW	CU Lee	SIZE	A0 MAX	